

BARD & BRAZIER



RAILS & CONSOLES





BARD & BRAZIER

OUR AIM IS SIMPLE. TO PRODUCE THE BEST TOWEL WARMERS IN THE WORLD



Blue Riband manufacturing. We buy all of our brass from the best mill in Germany. We use dezinc brass therefore less chance of oxidization. We only use silver solder, not soft solder, which is five times more expensive, much harder to work with, stronger, provides cleaner joints and five times more peace of mind.



Innovation and engineering skills. Patents such as those used in the invention of the hidden valve for the D-rail sets us apart from our peers. We believe we set the standard that very few companies can match, whilst remaining true to classic original design. The Criterion is a discovery unearthed in an old stately manor house in Shropshire. If you look closely you will find that we have diligently kept to all the angles and structured lines, a feature of the Deco period.



Quality, quality, quality, the three things we are truly fastidious about. A visit to our factory will show you why we are known for quality, our team of 30 bold women and men make all the rails themselves. From CNC machines to hot blazing torches everything is in place to substantiate our belief that we make the best towel warmers in the world.



You are in safe hands because you can talk to the people who actually make your rail right here in Britain. If there ever was a problem we can resolve it without having to rely on factories outside of these shores.

CHOOSING THE RIGHT RAIL

A GUIDE TO THE OPTIONS AVAILABLE

RAIL FUEL TYPE	HYDRONIC	SEALED ELECTRIC
THIS CHART SHOWS THE RAIL FUEL OPTIONS WE PROVIDE AND WHICH RANGES ARE AVAILABLE FOR EACH FUEL OPTION.	Hydronic models use hot water plumbing to produce heat by running hot water through the towel warmer. This can be done one of two ways: by connecting to a hot water heater (open system) or to a heating system (closed system).	Sealed electric towel warmers contain an electric element that heats liquid within the unit. The towel warmers are normally hardwired into a spur socket outside the bathroom, working independently from your heating system and hot water.
D-RAIL	PAGE 24	PAGE 24
LA FAYETTE	PAGE 28	PAGE 28
FLORIAN	PAGE 32	PAGE 32
ZINGO SULTAN	PAGE 34	
JACOB'S LADDER	PAGE 36	PAGE 36
CRITERION	PAGE 38	PAGE 38
BARONIAL	PAGE 40	PAGE 40
ST LEGER		

PAGE 44

PAGE 44



DUAL FUEL



FLOATING ELECTRIC













Dual fuel towel rails can work one of two ways. Either through using the house heating system as per the hydronic rails, or through the electricity supply using an internal element. This is normally hardwired into a spur socket outside the bathroom. Floating hydronic models use the hot water to produce heat by running hot water through the towel warmer.

This can be done one of two ways: by connecting to the hot water (open system) or to a radiator heating (closed system).

Floating low energy high heat electric towel warmers are wired outside the bathroom and require no water. We recommend that they are wired to a timer for optimum use. These rails can be used in any bathroom or cloakroom, in hotels, private homes, stately homes or palaces.







PAGE 16



PAGE 8



PAGE 28



PAGE 18



PAGE 10



PAGE 32



PAGE 20



PAGE 12



PAGE 36



PAGE 38



PAGE 40



PAGE 44



FLOATING ELECTRIC

LOW ENERGY HIGH HEAT OUTPUT TOWEL WARMERS

All electric



Our Codes & How To Use Them

For example:

FZS2

FZS = Represents the range name, Floating Zingo Sultan **2** = Represents electric









FDR2 - Single bar floating electric D-Rail


Single bar towel warmer 581mm flange to flange



FDR2-1 D-Rail Float Single Bar	
Polished Chrome	£211
Polished Nickel	£232

FDR2 - 2 bar floating electric D-Rail

2 bar towel warmer 15 watts @ 230v = heat output 48°c to 53°c per bar



$\textbf{FDR2} - 3 \ \text{bar floating electric D-Rail}$

3 bar towel warmer

15 watts @ 230v = heat output 48°c to 53°c per bar

FDR2-3 D-Rail Float 3 Bar

Polished Chrome f633

Polished Nickel f696

FDR2 - 4 bar floating electric D-Rail

4 bar towel warmer

15 watts @ 230v = heat output 48°c to 53°c per bar

FDR2-4 D-Rail Float 4 Bar

Polished Chrome £844

Polished Nickel £928

FDR2 - 5 bar floating electric D-Rail


5 bar towel warmer

15 watts @ 230v = heat output 48°c to 53°c per bar

FDR2-5 D-Rail Float 5 Bar

Polished Chrome £1,055

Polished Nickel £1,161











FLF2 - Single bar floating electric La Fayette

Single bar towel warmer

589mm flange to flange



FLF2-1 La Fayette Float Single Bar	
Polished Chrome	£254
Polished Nickel	£279

FLF2 - 2 bar floating electric La Fayette

2 bar towel warmer

15 watts @ 230v = heat output 47°c to 55°c per bar




(10)

FLF2-2 La Fayette Float 2 Bar	
Polished Chrome	£508
Polished Nickel	£558

FLF2 - 3 bar floating electric La Fayette


3 bar towel warmer 15 watts @ 230v = heat output 47°c to 55°c per bar



FLF2 - 4 bar floating electric La Fayette

4 bar towel warmer

15 watts @ 230v = heat output 47°c to 55°c per bar




FLF2 - 5 bar floating electric La Fayette

5 bar towel warmer

15 watts @ 230v = heat output 47°c to 55°c per bar















ZINGO SULTAN




FZS2 - Single bar floating electric Zingo Sultan


Single bar towel warmer
640mm flange to flange
15 watts @ 230v = heat output 48°c to 53°c per bar

FZS2-1 Zingo Sultan Float Single Bar	
Polished Chrome	£299
Polished Nickel	£329


FZS2 - 2 bar floating electric Zingo Sultan



FZS2 - 3 bar floating electric Zingo Sultan



FZS2 - 4 bar floating electric Zingo Sultan




FZS2 - 5 bar floating electric Zingo Sultan



FLOATING HYDRONIC

TOWEL WARMERS



FLOATING HYDRONIC

TOWEL WARMERS

For hot water (open system) and central heating (closed system)



Our Codes & How To Use Them

For example:


FLF1-5+INF1-5

FLF = Represents the range name, Floating La Fayette **1** = Represents hydronic

-5 = Represents number of rails i.e. five

INF1 = Represents installation frame specific to La Fayette

-5 = Represents number of connections i.e. five









FDR1-1 + INF2-1 - floating hydronic D-Rail

Single bar towel warmer 575mm flange to flange 110 Btu/h

Includes integrated valves

FDR1-1 D-Rail Float Single Bar	
Polished Chrome	£249
Polished Nickel	£274
INF2-1 Installation Frame	£129

FDR1-3 + INF2-3 - floating hydronic D-Rail

3 bar towel warmer 575 x 355mm 330 Btu/h Includes integrated valves

FDR1-3 D-Rail Float 3 Bars	
Polished Chrome	£434
Polished Nickel	£477
INF2-3 Installation Frame	£211

FDR1-5 + INF2-5 - floating hydronic D-Rail

5 bar towel warmer 575 x 675mm 550 Btu/h Includes integrated valves

FDR1-5 D-Rail Float 5 Bars		-
Polished Chrome	£631	2
Polished Nickel	£694	
INF2-5 Installation Frame	£316	^

FDR1-2 + INF2-2 - floating hydronic D-Rail

2 bar towel warmer 575 x 195mm 220 Btu/h Includes integrated valves

FDR1-2 D-Rail Float 2 Bars	
Polished Chrome	£342
Polished Nickel	£377
INF2-2 Installation Frame	£162

FDR1-4 + INF2-4 - floating hydronic D-Rail

4 bar towel warmer 575 x 515mm 440 Btu/h Includes integrated valves


FDR1-4 D-Rail Float 4 Bars		=	
Polished Chrome	£555		
Polished Nickel	£611	~	
INF2-4 Installation Frame	£268		

D-Rail integrated valve

The hydronic D-Rails all have our discreet inline valves fitted as standard









FLF1-1 + INF1-1 - floating hydronic La Fayette

Single bar towel warmer 585mm flange to flange, not including valves 145 Btu/h



2	
OG	==0
3	0

FLF1-2 + INF1-2 - floating hydronic La Fayette

2 bar towel warmer 585 x 205mm not including valves 290 Btu/h




FLF1-1 La Fayette Float Single Bar		
Polished Chrome	£234	
Polished Nickel	£257	
INF1-1 Installation Frame	£129	

FLF1-2 La Fayette Float 2 Bars Polished Chrome £339 Polished Nickel £373

INF1-2 Installation Frame

FLF1-3 + INF1-3 - floating hydronic Lay Fayette


3 bar towel warmer 585 x 365mm not including valves 435 Btu/h



FLF1-4 + INF1-4 - float	ting hydronic La Fayette

£162

4 bar towel warmer 585 x 525mm not including valves 580 Btu/h



		
£467	3	9
£514		
£211	_	
	£514	£514

		·	
FLF1-4 La Fayette Float 4 Bars			
Polished Chrome	£595	2	
Polished Nickel	£655	- - <u>®</u>	é
INF1-4 Installation Frame	£268		

FLF1-5 + INF1-5 - floating hydronic La Fayette

5 bar towel warmer $585 \times 685 \text{mm}$ not including valves 725 Btu/h

		(Acc	
FLF1-5 La Fayette Float 5 Bars			
Polished Chrome	£723	(C)	
Polished Nickel	£795	•	
		€ }	====
INF1-5 Installation Frame	£316	1.21	
		- The state of the	(3)

Recommended valves for La Fayette

Pullman Concealed Valve

See page 46 for more details



Panama Concealed Valve

See page 46 for more details



ZINGO SULTAN



ZINGO SULTAN




6

6

FZS1-1 + INF1-1 - floating hydronic Zingo Sultan

Single bar towel warmer 640mm overall width, not including valves 208 Btu/h



FZS1-3 + INF1-3 - floating hydronic Zingo Sultan

3 bar towel warmer 640 x 371mm not including valves 624 Btu/h

FZS1-3 Zingo Sultan Float 3 Bars		-
Polished Chrome	£646	0
Polished Nickel	£711	
INF1-3 Installation Frame	£211	

FZS1-5 + INF1-5 - floating hydronic Zingo Sultan

5 bar towel warmer 640 x 691mm not including valves 1040 Btu/h

FZS1-5 Zingo Sultan Float 5 Bars	
Polished Chrome	£1,040
Polished Nickel	£1,144
INF1-5 Installation Frame	£316

FZS1-2 + INF1-2 - floating hydronic Zingo Sultan

2 bar towel warmer 640 x 211mm not including valves 416 Btu/h

FZS1-2 Zingo Sultan Float 2 Bars	
Polished Chrome	£449
Polished Nickel	£494
INF1-2 Installation Frame	£162

0

FZS1-4 + INF1-4 - floating hydronic Zingo Sultan

4 bar towel warmer 640 x 531mm not including valves 832 Btu/h

FZS1-4 Zingo Sultan Float 4 Bars			
Polished Chrome	£843		
Polished Nickel	£927	<u> </u>	
INF1-4 Installation Frame	£268		

Recommended valves for Zingo Sultan

Pullman Concealed Valve

See page 46 for more details




Panama Concealed Valve

See page 46 for more details



HYDRONIC TOWEL WARMERS



HYDRONIC

TOWEL WARMERS

For hot water (open system) and central heating (closed system)



Our Codes & How To Use Them

For example:

DRW80/60

DR = Represents the range name, D-Rail

W = Represents the product style, wall mounted

80 = Represents the product height in cm

60 = Represents the product width in cm

or:

LFF95/60

LF = Represents the range name, La Fayette

F = Represents the product style, floor mounted

95 = Represents the product height in cm

60 = Represents the product width in cm







DRW80/60

4 bar towel warmer 800 x 600mm 640 Btu/h - 188 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£689	£914	£914
Polished Nickel	£757	£982	£982



DRW160/40

17 bar towel warmer 1600 x 400mm 1580 Btu/h - 463 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,056	£1,281	£1,281
Polished Nickel	£1,161	£1,386	£1,386



DRW90/50

4 bar towel warmer 900 x 500mm 610 Btu/h - 179 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£692	£917	£917
Polished Nickel	£762	£987	£987



DRW80/50

9 bar towel warmer 800 x 500mm 970 Btu/h - 284 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£789	£1,014	£1,014
Polished Nickel	£869	£1,094	£1,094



DRW75/50

2 section, 19 bar towel warmer 750 x 500mm 1050 Btu/h - 308 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£957	£1,182	£1,182
Polished Nickel	£1,048	£1,273	£1,273



DRW120/40

13 bar towel warmer 1200 x 400mm 1200 Btu/h - 352 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£937	£1,162	£1,162
Polished Nickel	£1,032	£1,257	£1,257



DRW120/50


3 section, 23 bar towel warmer 1200 x 500mm 1350 Btu/h - 396 Watts Includes integrated valves

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,080	£1,305	£1,305
Polished Nickel	£1,188	£1,413	£1,413



DRW45/120

5 bar towel warmer 450 x 1200mm 1310 Btu/h - 384 Watts Includes integrated valves



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£725	£950	£950
Polished Nickel	£797	£1,022	£1,022

DRW52/120

2 section, 13 bar towel warmer 520 x 1200mm 1610 Btu/h - 472 Watts Includes integrated valves



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,048	£1,273	£1,273
Polished Nickel	£1,152	£1,377	£1,377

DRF95/90

5 bar towel warmer 950 x 900mm 1040 Btu/h - 305 Watts Includes integrated valves



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£804	£1,029	£1,029
Polished Nickel	£884	£1,109	£1,109

DRF180/50

9 bar towel warmer 1805 x 500mm 1290 Btu/h - 378 Watts Includes integrated valves

nciudes integra	ited valves	•		
	Hydronic	Sealed Electric	Dual Fuel	ľ
Polished Chrome	£997	£1,222	£1,222	Ļ
Polished Nickel	£1,097	£1,322	£1,322	
				Ī
				-

D-Rail integrated valve

The hydronic D-Rails all have our discreet inline valves fitted as standard










LFW60/60

Wall mounted towel warmer 600 x 600mm 703 Btu/h - 206 Watts





LFW120/60

Wall mounted towel warmer 1200 x 600mm 1324 Btu/h - 388 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£919	£1,144	£1,144
Polished Nickel	£1,011	£1,236	£1,236



LFW60/80

Wall mounted towel warmer 600 x 800mm 925 Btu/h - 271 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£657	£882	£882
Polished Nickel	£722	£947	£947



LFW120/80

Wall mounted towel warmer 1200 x 800mm 1423 Btu/h - 417 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£958	£1,183	£1,183
Polished Nickel	£1,053	£1,278	£1,278



LFW90/60

Wall mounted towel warmer 900 x 600mm 1013 Btu/h - 297 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£875	£1,100	£1,100
Polished Nickel	£963	£1,188	£1,188



LFW150/60

Wall mounted towel warmer 1500 x 600mm 1634 Btu/h - 479 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,033	£1,258	£1,258
Polished Nickel	£1,136	£1,361	£1,361



LFW90/80

Wall mounted towel warmer 900 x 800mm 1095 Btu/h - 321 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£900	£1,125	£1,125
Polished Nickel	£990	£1,215	£1,215



LFW150/80

Wall mounted towel warmer 1500 x 800mm 1993 Btu/h - 584 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,042	£1,267	£1,267
Polished Nickel	£1,147	£1,372	£1,372



LFF95/60

Floor mounted towel warmer 950 x 600mm 887 Btu/h - 260 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£706	£931	£931
Polished Nickel	£776	£1,001	£1,001



LFF95/80

Floor mounted towel warmer 950 x 800mm 1109 Btu/h - 325 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£743	£968	£968
Polished Nickel	£818	£1,043	£1,043



LFF155/60

Floor mounted towel warmer 1550 x 600mm 1508 Btu/h - 442 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£963	£1,188	£1,188
Polished Nickel	£1,059	£1,284	£1,284



LFF125/60

Floor mounted towel warmer 1250 x 600mm 1189 Btu/h - 351 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£875	£1,100	£1,100
Polished Nickel	£963	£1,188	£1,188



LFF155/80

Floor mounted towel warmer 1550 x 800mm 1648 Btu/h - 483 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,015	£1,240	£1,240
Polished Nickel	£1,124	£1,349	£1,349



LFF125/80

Floor mounted towel warmer 1250 x 800mm 1320 Btu/h - 800 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£934	£1,159	£1,159
Polished Nickel	£1,027	£1,252	£1,252



LFF185/60

Floor mounted towel warmer 1850 x 600mm 1819 Btu/h - 533 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,112	£1,337	£1,337
Polished Nickel	£1,224	£1,449	£1,449



LFH104/60

Floor mounted towel warmer 1040 x 600mm 1567 Btu/h - 462 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,444	£1,669	£1,669
Polished Nickel	£1,589	£1,814	£1,814



Recommended valves for La Fayette

Pullman Valve

See page 46 for more details



Portobello Valve

See page 46 for more details



LFF185/80

Floor mounted towel warmer 1850 x 800mm 2081 Btu/h - 610 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,187	£1,412	£1,412
Polished Nickel	£1,305	£1,530	£1,530







FLORIAN

FLW70/80R

Wall mounted towel warmer 700 x 800mm 3319 Btu/h - 973 Watts

Closed circuits only

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,062	£1,287	£1,287
Polished Nickel	£1,169	£1,394	£1,394



FLF90/66R

Floor mounted towel warmer 900 x 600mm 3250 Btu/h - 953 Watts Closed circuits only

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,051	£1,276	£1,276
Polished Nickel	£1,157	£1,382	£1,382



FLW70/66R

Wall mounted towel warmer 700 x 660mm 2862 Btu/h - 839 Watts Closed circuits only

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,051	£1,276	£1,276
Polished Nickel	£1,157	£1,382	£1,382



FLF90/80

Floor mounted towel warmer 900 x 800mm 1373 Btu/h - 402 Watts

For hot water (open system) and central heating (closed system)

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£977	£1,202	£1,202
Polished Nickel	£1,075	£1,300	£1,300



FLW90/80

Wall mounted towel warmer 900 x 800mm 1354 Btu/h - 397 Watts

For hot water (open system) and central heating (closed system)

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£977	£1,202	£1,202
Polished Nickel	£1,075	£1,300	£1,300



FLB

Floor mounted towel warmer 1629 x 648mm 5328 Btu/h - 1561 Watts Closed circuits only

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,967	£2,192	£2,192
Polished Nickel	£2,164	£2,389	£2,389



FLF90/80R

Floor mounted towel warmer 900 x 800mm 3768 Btu/h - 1104 Watts Closed circuits only

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,062	£1,287	£1,287
Polished Nickel	£1,169	£1,394	£1,394



Recommended valves for Florian

Pullman Valve

See page 46 for more details



Penhallam Valve

See page 46 for more details





ZINGO SULTAN

ZSW100/60

Wall mounted towel rail 1000 x 600mm 2839 Btu/h - 832 Watts



ZSF180/60

Floor & wall mounted towel rail 1800 x 600mm 4136 Btu/h - 1212 Watts

	Hydronic
Polished Chrome	£1,745
Polished Nickel	£1,918



ZSW50/120

Wall mounted towel rail 500 x 1200mm 3351 Btu/h - 982 Watts



	Hydronic
Polished Chrome	£1,288
Polished Nickel	£1,416

Recommended valves for Zingo Sultan

Pullman Valve

See page 46 for more details

Portobello Valve

See page 46 for more details

Penhallam Valve

See page 46 for more details



Jacob's Ladder



JACOB'S LADDER

JCW184/80

Wall mounted towel warmer 1840 x 800mm 1774 Btu/h - 520 Watts



JCF184/80

Floor mounted towel warmer 1840 x 800mm 1774 Btu/h - 520 Watts



Recommended valves for Jacob's Ladder

Pullman Valve See page 46 for more details	# (C.4-1)
Portobello Valve See page 46 for more details	





CRITERION

CTW60/60

Wall mounted 3 bar towel warmer 600 x 600mm 865 Btu/h - 254 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,433	£1,658	£1,658
Polished Nickel	£1,576	£1,801	£1,801



CTF185/60

Floor mounted 6 bar towel warmer 1850 x 600mm 1865 Btu/h - 546 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£2,091	£2,316	£2,316
Polished Nickel	£2,301	£2,526	£2,526



CTW120/60

Wall mounted 5 bar towel warmer 1200 x 600mm 1447 Btu/h - 426 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,792	£2,017	£2,017
Polished Nickel	£1,972	£2,197	£2,197



Recommended valves for Criterion

Pullman Valve See page 46 for more details Portobello Valve See page 46 for more details Penhallam Valve See page 46 for more details

CTF95/60

Floor mounted 3 bar towel warmer 950 x 600mm 966 Btu/h - 283 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,424	£1,649	£1,649
Polished Nickel	£1,567	£1,792	£1,792



CTF95/80

Floor mounted 3 bar towel warmer 950×800 mm

1112 Btu/h - 326 Watts

Hydronic	Sealed Electric	Dual Fuel
£1,486	£1,711	£1,711
£1,634	£1,859	£1,859
	£1,486	£1,486 £1,711





Baronial






BARONIAL

BRW70/90

Wall mounted towel rail 700 x 900mm 1774 Btu/h - 520 Watts





BRW70/120

Wall mounted towel rail 700 x 1200mm 2354 Btu/h - 690 Watts



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,114	£1,339	£1,339
Polished Nickel	£1,225	£1,450	£1,450

BGW70/90

Wall mounted towel rail 700 x 900mm 3057 Btu/h - 896 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,659	£1,884	£1,884
Polished Nickel	£1,825	£2,050	£2,050



BGW70/120

Wall mounted towel rail 700 x 1200mm 4176 Btu/h - 1244 Watts



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,689	£1,914	£1,914
Polished Nickel	£1,857	£2,082	£2,082

BRF95/90


Floor mounted towel rail 950 x 900mm 1774 Btu/h - 520 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,126	£1,351	£1,351
Polished Nickel	£1,239	£1,464	£1,464



BRF95/120

Floor mounted towel rail 950 x 1200mm 2354 Btu/h - 690 Watts





BGF95/90


Floor mounted towel rail 950 x 900mm 3057 Btu/h - 896 Watts



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,561	£1,786	£1,786
Polished Nickel	£1,717	£1,942	£1,942

BGF95/120

Floor mounted towel rail 950 x 1200mm



	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,646	£1,871	£1,871
Polished Nickel	£1,811	£2,036	£2,036

Recommended valves for Criterion

Pullman Valve See page 46 for more details	
Portobello Valve See page 46 for more details	- -₽
Penhallam Valve See page 46 for more details	







ST LEGER

SLW160/45

Wall mounted towel rail 1600 x 450mm 3603 Btu/h - 1056 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,102	£1,327	£1,327
Polished Nickel	£1,213	£1,438	£1,438



SLF180/45

Floor & wall mounted towel rail 1800 x 450mm 4057 Btu/h - 1189 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,538	£1,763	£1,763
Polished Nickel	£1,692	£1,917	£1,917



SLW110/45

Wall mounted towel rail 1100 x 450mm 2771 Btu/h - 812 Watts

	Hydronic	Sealed Electric	Dual Fuel
Polished Chrome	£1,016	£1,241	£1,241
Polished Nickel	£1,118	£1,343	£1,343



Recommended valves for St Leger

Pullman Valve See page 46 for more details	\$1 - PO PO PO PO PO PO PO PO
Portobello Valve See page 46 for more details	
Penhallam Valve See page 46 for more details	= 10





VALVES

FOR HYDRONIC & FLOATING HYDRONIC TOWEL WARMERS

Pullman

In metal finishes or with coloured handles, for use with Hydronic rails

Polished Chrome (PRVCP)	£188
Polished Nickel (PRVNK)	£207
,	



Concealed Panama

In metal finishes or with coloured handles, for use with Floating Hydronic rails



Polished Chrome (PNCRVCP)	£185
Polished Nickel (PNCRVNK)	£204

Penhallam

With white or black ceramic handles, for use with Hydronic rails





Concealed Pullman


In metal finishes or with coloured handles, for use with Floating Hydronic rails



Polished Chrome (PCRVCP)	£185
Polished Nickel (PCRVNK)	£204

Portobello

Walnut wood handle with bell housing, for use with Hydronic rails









HEPBURN

DOUBLE MARBLE CONSOLE

Marble top double basin and stand (comes with white porcelain basins and 3 pre-drilled holes as standard)

Counter Top

1095h x 1700w x 595dmm - Carrara or Grigio Carnico marble

COUNTER TOP ONLY			
DHBNMARBCA	Carrara	£2,946	
DHBNMARBGC	Grigio Carnico	£2,946	

Double Basin Stand

860h x 1650w x 545dmm

BASIN STAND ONLY		
DHBNSTANDCP	Chrome	£1,962
DHBNSTANDNK	Nickel	£2,159





HEPBURN

SINGLE MARBLE CONSOLE

Marble top single basin and stand (comes with white porcelain basin and 3 pre-drilled holes as standard)

Counter Top

1095h x 1050w x 595dmm - Carrara or Grigio Carnico marble

COUNTER TOP ONLY		
HBNMARBCA	Carrara	£1,865
HBNMARBGC	Grigio Carnico	£1,865

Single Basin Stand

860h x 1000w x 545dmm

BASIN STAND ONLY		
HBNSTANDCP	Chrome	£1,486
HBNSTANDNK	Nickel	£1,634







FINISHES FOR RAILS AND VALVES



FINISHES

All our rails and valves are available in the below finishes, bespoke options are also available.



Towel Warmer Glossary

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	DRW80/60	640	188	810	610	127	N/A	25
目	DRW90/50	610	179	910	510	127	N/A	25
	DRW80/50	970	284	800	510	127	N/A	25
	DRW120/40	1200	352	1200	410	127	N/A	25
	DRW160/40	1580	463	1600	410	127	N/A	25
	DRW75/50	1050	308	750	510	127	N/A	25
	DRW120/50	1350	396	1200	510	127	N/A	25
	DRW45/120	1310	384	450	1210	127	N/A	26
	DRW52/120	1610	472	520	1210	127	N/A	26
	DRF180/50	1290	378	1805	510	127	N/A	26
	DRF95/90	1040	305	950	910	127	N/A	26
	LFW60/60	703	206	600	600	155	516	29
	LFW60/80	925	271	600	800	155	716	29
	LFW90/60	1013	297	900	600	155	516	29
•	LFW90/80	1095	321	900	800	155	716	29

Electric elements are right hand. All D-Rails supplied with integrated valves. All other rails do not include valves. All prices exclude VAT.

TOWEL WARMER GLOSSARY

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	LFW120/60	1324	388	1200	600	155	516	29
	LFW120/80	1423	417	1200	800	155	716	29
	LFW150/60	1634	479	1500	600	155	516	29
	LFW150/80	1993	584	1500	800	155	716	29
Ħ	LFF95/60	887	260	950	600	173	365	30
	LFF95/80	1109	325	950	800	173	565	30
	LFF125/60	1189	351	1250	600	173	365	30
	LFF125/80	1320	387	1250	800	173	565	30
	LFF155/60	1508	442	1550	600	173	365	30
	LFF155/80	1648	483	1550	800	173	565	30
	LFF185/60	1819	533	1850	600	173	365	31
	LFF185/80	2081	610	1850	800	173	565	31
	LFH104/60	1576	462	1040	600	270	365	31
	FLW70/80R	3319	973	700	800	250	600	33
	FLW70/66R	2862	839	700	665	250	468	33

Electric elements are right hand. All D-Rails supplied with integrated valves. All other rails do not include valves. All prices exclude VAT.

Towel Warmer Glossary

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
2 3	FLW90/80	1354	397	900	800	250	600	33
	FLF90/80R	3768	1104	900	800	250	457	33
	FLF90/66R	3250	953	900	665	250	315	33
	FLF90/80	1373	402	900	800	250	447	33
	FLB BUTLER	5328	1561	1629	665	343	305	33
5. 5.	ZSW100/60	2839	832	1000	610	127	550	35
	ZSW50/120	3351	982	500	1210	127	1150	35
Ħ	ZSF180/60	4136	1212	1800	610	127	550	35
	JCW184/80	1774	520	1840	800	200	592	37
Ħ	JCF184/80	1774	520	1840	800	200	592	37
	CTW60/60	865	254	600	600	155	505	39
	CTW120/60	1447	426	1200	600	155	505	39
	CTF95/60	966	283	950	600	155	365	39
	CTF95/80	1112	326	950	800	155	565	39
	CTF185/60	1865	546	1850	600	155	365	39

Electric elements are right hand. All D-Rails supplied with integrated valves. All other rails do not include valves. All prices exclude VAT.

TOWEL WARMER GLOSSARY

	Product No.	Btu/hr @ Delta 60	Watts @ Delta 60	Overall height	Width over flange	Projection	Pipe centre for valves	Page No.
	BRW70/90	1774	520	700	900	180	788	41
	BRW70/120	2354	690	700	1200	180	1088	41
	BGW70/90	3057	896	700	900	245	788	41
	BGW70/120	4176	1224	700	1200	245	1088	41
Ħ	BRF95/90	1774	520	950	900	200	632	41
	BRF95/120	2354	690	950	1200	200	932	41
	BGF95/90	3057	896	950	900	245	632	42
	BGF95/120	4176	1224	950	1200	245	932	42
	SLW110/45	2771	812	1100	450	175	240	45
E .	SLW160/45	3603	1056	1600	450	175	240	45
Ħ	SLF180/45	4057	1189	1800	450	175	220	45

All measurements are in millimetres and may vary slightly due to products being handmade. Electric elements are right hand. All D-Rails are supplied with integrated valves. All other rails do not include valves.

If you do not wish to receive postal communications from Bard & Brazier, please email marketing@bardbrazier.co.uk providing your full name and address.

All information is correct at the time of print. All prices exclude VAT. Bard and Brazier reserve the right to alter dimensions.


E & OE

Quality, Quality, Quality











MARSTON ROAD, WOLVERHAMPTON, WEST MIDLANDS WV2 4LX. T: +44 (0)121 270 2222 E: INFO@BARDBRAZIER.CO.UK

WWW.BARDBRAZIER.CO.UK